

Amendments to the Claims

This listing of claims replaces all prior versions and listings of claims in the application. Please amend the application as follows:

1. (Currently Amended) A method for communication path analysis, the method comprising:
retrieving a first communication path rule and a second communication path rule for an access control device, each rule comprising at least one path attribute type specifying at least one attribute range and at least one path operation type specifying at least one operation;
inserting the first rule into a database;
determining, for at least one path attribute type, whether at least a portion of an attribute range of the second rule corresponds to at least a portion of an attribute range of the first rule;
and
when at least a portion of an ~~the~~ attribute range of the second rule does not correspond to at least a portion of an attribute range of the first rule for the analyzed path attribute type,
inserting the non-corresponding portion of the attribute range of the second rule into the database, along with the at least one operation of the second rule.
2. (Original) The method of claim 1, wherein retrieving a communication path rule comprises parsing the rule from a firewall configuration file.
3. (Original) The method of claim 1, wherein the at least one path attribute type comprises one or more of destination address, source address, service type, and communication time.
4. (Currently Amended) The method of claim 1, wherein inserting the first rule into a database comprises placing the at least one attribute range and the at least one operation into a relational database having separate tables for the path attribute type and the path operation type.

5. (Original) The method of claim 1, further comprising:
determining whether a database query has been received; and
if a query has been received, searching the database to determine whether any
communication path rules satisfy the query.

6. (Original) The method of claim 5, wherein the query criteria comprise one or
more of destination address, source address, service type, and communication time.

7. (Currently Amended) The method of claim 1, wherein:
determining whether an attribute range of the second rule corresponds to an attribute
range of the first rule for at least one path attribute type comprises performing a set difference
operation between ~~attributes~~ the attribute range of the second rule and ~~attributes~~ the attribute
range of the first rule for the at least one path attribute type; and
inserting ~~the an~~ attribute of the second rule that does not correspond to an attribute of the
first rule into the database comprises inserting the results of the set difference operation into the
database.

8. (Currently Amended) The method of claim 1, wherein inserting the portion of the
attribute range of the second rule that does not correspond to the portion of the an attribute range
of the first rule into the database comprises attempting to group at least one type of non-
corresponding attributes of the second rule into ranges.

9. (Original) The method of claim 1, further comprising:
retrieving a first communication path rule for a second access control device; and
inserting the first communication path rule for the second access control device into the
database.

10. (Original) The method of claim 9, further comprising:
determining whether a database query has been received; and
if a query has been received, searching the database to determine whether any
communication path rules satisfy the query.

11. (Currently Amended) The method of claim 1, wherein determining whether at least a portion of an attribute range of the second rule corresponds to at least a portion of an attribute range of the first rule for at least one path attribute type is performed ~~only~~ for a set of communication path operations.

12. (Currently Amended) A system for communication path analysis, comprising:
a communication rule analyzer comprising:
a database operable to store and search communication path rules, each rule
comprising at least one path attribute type specifying at least one attribute range and at least one
path operation type specifying at least one operation; and
an extraction tool operable to:
retrieve a first communication path rule and a second communication path
rule for an access control device,
insert the first rule into the database,
determine, for at least one path attribute type, whether at least a portion of
an attribute range of the second rule corresponds to at least a portion of an attribute range of the
first rule, and
when at least a portion of an ~~the~~ attribute range of the second rule does not
correspond to at least a portion of an attribute range of the first rule for the analyzed path
attribute type, insert the non-corresponding portion of the attribute range of the second rule into
the database, along with the at least one operation of the second rule.

13. (Original) The system of claim 12, wherein the database comprises a relational database having separate tables for the path attribute type and the path operation type.

14. (Original) The system of claim 12, wherein the database is further operable to:
determine whether a database query has been received; and
if a query has been received, search the database to determine whether any communication path rules satisfy the query.

15. (Currently Amended) The system of claim 12, wherein the extraction tool is operable to:
perform a set difference operation between ~~attributes~~ the attribute range of the second rule and ~~attributes~~ the attribute range of the first rule for the at least one path attribute type to determine whether an attribute range of the second rule corresponds to an attribute range of the first rule for at least one path attribute type; and
insert ~~the an~~ results of the set difference operation into the database to insert the attribute of the second rule that does not correspond to an attribute of the first rule into the database.

16. (Currently Amended) The system of claim 12, wherein the extraction tool is operable to attempt to group at least one type of non-corresponding attributes of the second rule into ranges to insert the portion of the attribute range of the second rule that does not correspond to the portion of the an attribute range of the first rule into the database.

17. (Original) The system of claim 12, wherein the extraction tool is further operable to:
retrieve a first communication path rule for a second access control device; and
insert the first communication path rule for the second access control device into the database.

18. (Original) The system of claim 17, wherein the database is further operable to:
determine whether a database query has been received; and
if a query has been received, search the database to determine whether any
communication path rules satisfy the query.

19. (Currently Amended) The system of claim 12, wherein the extraction tool is
operable to determine whether at least a portion of an attribute range of the second rule
corresponds to at least a portion of an attribute range of the first rule for at least one path
attribute type ~~only~~ for a set of communication path operations.

20. (Currently Amended) An article comprising a machine-readable medium storing
instructions operable to cause one or more machines to perform operations comprising:

retrieving a first communication path rule and a second communication path rule for an
access control device, each rule comprising at least one path attribute type specifying at least one
attribute range and at least one path operation type specifying at least one operation;

inserting the first rule into a database;

determining, for at least one path attribute type, whether at least a portion of an attribute
range of the second rule corresponds to at least a portion of an attribute range of the first rule;
and

when at least a portion of an the attribute range of the second rule does not correspond to
at least a portion of an attribute range of the first rule for the analyzed path attribute type, insert
the non-corresponding portion of the attribute range of the second rule into the database, along
with the at least one operation of the second rule.

21. (Currently Amended) The article of claim 20, wherein inserting the first rule into
a database comprises placing the at least one attribute range and the at least one operation into a
relational database having separate tables for the path attribute type and the path operation type.

22. (Original) The article of claim 20, wherein the instructions are further operable to cause one or more machines to perform operations comprising:
determining whether a database query has been received; and
if a query has been received, searching the database to determine whether any communication path rules satisfy the query.

23. (Original) The article of claim 22, wherein the query criteria comprise destination address, source address, service type, and communication time.

24. (Currently Amended) The article of claim 20, wherein:
determining whether an attribute range of the second rule corresponds to an attribute range of the first rule for at least one path attribute type comprises performing a set difference operation between ~~attributes~~ the attribute range of the second rule and ~~attributes~~ the attribute range of the first rule for the at least one path attribute type; and
inserting ~~the an~~ attribute of the second rule that does not correspond to an attribute of the first rule into the database comprises inserting the results of the difference operation into the database.

25. (Currently Amended) The article of claim 20, wherein inserting the portion of the attribute range of the second rule that does not correspond to the portion of the an attribute range of the first rule into the database comprises attempting to group at least one type of non-corresponding attributes of the second rule into ranges.

26. (Original) The article of claim 20, wherein the instructions are further operable to cause one or more machines to perform operations comprising:
retrieving a first communication path rule for a second access control device; and
inserting the first communication path rule for the second access control device into the database.

27. (Original) The article of claim 26, wherein the instructions are further operable to cause one or more machines to perform operations comprising:

determining whether a database query has been received; and
if a query has been received, searching the database to determine whether any communication path rules satisfy the query.

28. (Currently Amended) The article of claim 20, wherein determining whether at least a portion of an attribute range of the second rule corresponds to at least a portion of an attribute range of the first rule for at least one path attribute type is performed only for a set of communication path operations.

29. (Original) A method for communication path analysis, the method comprising:
receiving a database query for a database comprising communication path rules for an access control device, each rule comprising at least one path attribute type specifying at least one attribute and at least one path operation type specifying at least one operation;
searching the database for rules that satisfy the query; and
generating a user interface to present the results of the search.

30. (Original) The method of claim 29, wherein the database comprises a relational database having separate tables for the path attribute type and the path operation type.

31. (Original) The method of claim 29, wherein the format of the query is structured query language.

32. (Original) The method of claim 29, further comprising populating the database.

33. (Original) The method of claim 29, wherein the database comprises a communication path rule for a second access control device.

34. (Original) An article comprising a machine-readable medium storing instructions operable to cause one or more machines to perform operations comprising:

receiving a database query for a database comprising communication path rules for an access control device, each rule comprising at least one path attribute type specifying at least one attribute and at least one path operation type specifying at least one operation;

searching the database for rules that satisfy the query; and

generating a user interface to present the results of the search.

35. (Original) The article of claim 34, wherein the database comprises a relational database having separate tables for the path attribute type and the path operation type.

36. (Original) The article of claim 34, wherein the instructions are further operable to cause one or more machines to perform operations comprising populating the database.

37. (Original) The article of claim 34, wherein the database comprises a communication path rule for a second access control device.

38. (Original) A system for communication path analysis, the system comprising:
a communication rule analyzer comprising:

a relational database operable to store, receive queries for, and search communication path rules, each rule comprising at least two path attribute types specifying at least one attribute and at least one path operation type specifying at least one operation, the database comprising separate tables for the path attribute types and the path operation type; and
an extraction tool operable to:

retrieve a first communication path rule and a second communication path rule for an access control device,

insert the first rule into the database,

perform a set difference operation between path attribute types of the second rule and the first rule,

insert the result of the difference operation into the database, along with the at least one operation of the second rule,

retrieve a first communication path rule for a second access control device, and

insert the rule into the database.